
CATALOG



BCPK SERIES

01/2027 **BCPK SERIES** | DAUB CNC TECHNIK GMBH & CO. KG


www.19zoll.com

DAUB CNC Technik GmbH und Co. KG *is a dynamically growing company with above-average returns and recognized as the best supplier and thus benchmark for individualized housing solutions for the protection of electronic assemblies. Through targeted internationalization we are well positioned in Europe and have a broad and deep portfolio of equity customers.*

We have a customer/market-relevant product range *that consolidates our position as a top refiner of standard products from the technology leader.*

BCPK SERIES

IP65 POLYCARBONATE PLASTIC BOX with LOCK



Transparent cover type is available as BTO (Built-to-order) with an estimated lead-time of around 2 months.

Protection class: **IP65**

Operating temperature: **-20°C ~ +75°C**

Highlights

- Lockable enclosure best used for tamper prevention in FA, control box, and network communication fields.
- BCPK polycarbonate box is resistant against heat and flames.
  50 different sizes available and selectable from 2 different cover types, Light gray and Transparent (BTO).
- BCPK507018, 507025, 608018, and 608028 models are only available as S color type.


***Lock types vary according to box size.**




Box size
BCPK091207 ~ 172711
BCPK212110, 212113



Box size
BCPK192810 ~ 203018
BCPK253515 ~ 608028





Components

No.	Part name	Pcs	Material	Color / Finish
1	Top cover	1	Polycarbonate UL94V-0	Light gray
2	Base	1	Glass fiber filled polycarbonate UL94V-0	Light gray
3	Gasket	1	Polyurethane	Black
4	Latch	1 ~ 3	Stainless steel	Unfinished
5	Screw for mounting plate	2 ~ 8	Steel	Trivalent chromate
6	Key	1 ~ 3	Diecast zinc • Brass	Chrome plated • Nickel plated

■ Stainless steel mounting brackets are included together with the following models : 506018, 506025, 507018, 507025, 608018, and 608028.

■ Quantity of keys provided vary by the number of locks present.

Accessories (optional parts)

www.19zoll.com



Dust protection cap BCC series	Mounting plate BMP series	Mounting bracket CK • BFL series	Cable gland	Ventilation parts

BCPK SERIES

Product no. / Details

Product no.	W	D	H	Weight (g)	Delivery time
BCPK091207S	90	120	70	242	In stock
BCPK091208S	90	120	85	264	In stock
BCPK101507S	100	150	70	339	In stock
BCPK101508S	100	150	85	360	In stock
BCPK112107S	110	210	75	437	In stock
BCPK112110S	110	210	100	501	In stock
BCPK112607S	110	260	75	520	In stock
BCPK112610S	110	260	100.5	585	In stock
BCPK131508S	135	155	85	430	In stock
BCPK131808S	135	185	85.5	474	In stock
BCPK131810S	135	185	100.5	471	In stock
BCPK151509S	150	150	90	419	In stock
BCPK151512S	150	150	120.5	507	In stock
BCPK162110S	160	210	100	563	In stock
BCPK162113S	160	210	130	630	In stock
BCPK162610S	160	260	100	728	In stock
BCPK162613S	160	260	130	805	In stock
BCPK172210S	170	220	105	664	In stock
BCPK172711S	170	270	110.5	771	In stock
BCPK192810S	190	280	100.5	875	In stock
BCPK192814S	190	280	141	1,065	In stock
BCPK203013SN	200	300	130	1,098	In stock
BCPK203015SN	200	300	150	1,179	In stock
BCPK203018SN	200	300	180	1,324	In stock
BCPK212110S	210	210	100	743	In stock
BCPK212113S	210	210	130	822	In stock
BCPK253515SN	250	350	150	1,513	In stock
BCPK253518SN	250	350	180	1,676	In stock
BCPK282813S	280	280	130.5	1,391	In stock
BCPK283813S	280	380	130	1,811	In stock
BCPK303015S	300	300	151	1,670	In stock
BCPK303018S	300	300	181	1,782	In stock
BCPK304012S	300	400	120	1,858	In stock
BCPK304015S	300	400	150	1,912	In stock
BCPK304018S	300	400	181	2,083	In stock
BCPK353515S	350	350	150	2,067	In stock
BCPK353518S	350	350	181	2,175	In stock
BCPK354512S	350	450	120	2,442	In stock
BCPK354516S	350	450	160	2,863	In stock
BCPK354520S	350	450	201	3,156	In stock
BCPK405016S	400	500	160	3,149	In stock
BCPK405020S	400	500	201	3,725	In stock
BCPK406018S	400	600	181	4,159	In stock
BCPK406023S	400	600	231	4,639	In stock
BCPK506018S	530	630	185	5,339	In stock
BCPK506025S	530	630	255	7,136	In stock
BCPK507018S	530	730	188	7,470	In stock
BCPK507025S	530	730	258	8,260	In stock
BCPK608018S	630	830	188	9,880	In stock
BCPK608028S	630	830	288	11,610	In stock

Product no. / Details

Product no.	W	D	H	Weight (g)	Delivery time
BCPK091207T	90	120	70	237	2 months
BCPK091208T	90	120	85	261	2 months
BCPK101507T	100	150	70	337	2 months
BCPK101508T	100	150	85	335	2 months
BCPK112107T	110	210	75	444	2 months
BCPK112110T	110	210	100	509	2 months
BCPK112607T	110	260	75	528	2 months
BCPK112610T	110	260	100.5	594	2 months
BCPK131508T	135	155	85	421	2 months
BCPK131808T	135	185	85.5	475	2 months
BCPK131810T	135	185	100.5	478	2 months
BCPK151509T	150	150	90	422	2 months
BCPK151512T	150	150	120.5	508	2 months
BCPK162110T	160	210	100	721	2 months
BCPK162113T	160	210	130	639	2 months
BCPK162610T	160	260	100	738	2 months
BCPK162613T	160	260	130	825	2 months
BCPK172210T	170	220	105	681	2 months
BCPK172711T	170	270	110.5	794	2 months
BCPK192810T	190	280	100.5	900	2 months
BCPK192814T	190	280	141	1,094	2 months
BCPK203013TN	200	300	130	1,097	2 months
BCPK203015TN	200	300	150	1,178	2 months
BCPK203018TN	200	300	180	1,323	2 months
BCPK212110T	210	210	100	756	2 months
BCPK212113T	210	210	130	847	2 months
BCPK253515TN	250	350	150	1,510	2 months
BCPK253518TN	250	350	180	1,673	2 months
BCPK282813T	280	280	130.5	1,433	2 months
BCPK283813T	280	380	130	1,733	2 months
BCPK303015T	300	300	151	1,682	2 months
BCPK303018T	300	300	181	1,795	2 months
BCPK304012T	300	400	120	1,872	2 months
BCPK304015T	300	400	150	1,926	2 months
BCPK304018T	300	400	181	2,098	2 months
BCPK353515T	350	350	150	1,999	2 months
BCPK353518T	350	350	181	2,163	2 months
BCPK354512T	350	450	120	2,429	2 months
BCPK354516T	350	450	160	2,848	2 months
BCPK354520T	350	450	201	3,140	2 months
BCPK405016T	400	500	160	3,152	2 months
BCPK405020T	400	500	201	3,729	2 months
BCPK406018T	400	600	181	4,164	2 months
BCPK406023T	400	600	231	4,645	2 months
BCPK506018T	530	630	185	6,151	2 months
BCPK506025T	530	630	255	8,220	2 months
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—

DAUB CNC Technik GmbH und Co. KG *is a dynamically growing company with above-average returns and recognized as the best supplier and thus benchmark for individualized housing solutions for the protection of electronic assemblies. Through targeted internationalization we are well positioned in Europe and have a broad and deep portfolio of equity customers.*

We have a customer/market-relevant product range *that consolidates our position as a top refiner of standard products from the technology leader.*